

บรรณานุกรม

กฤตพล สมมาตย์, เมรา วรรณาพัฒน์, ฉลอง วชิราภากรและเวชสิทธิ์ โภบุราณ. 2534.

ความสามารถในการย่อยสลายอินทรีย์วัตถุของอาหารเพลิงงานในกระเพาะหมักของโค และกระนือปักษ์. การประชุมวิชาการมหาวิทยาลัยเกษตรศาสตร์ ครั้งที่ 29 มหาวิทยาลัยเกษตรศาสตร์ บางเขน กรุงเทพฯ

เกรียงศักดิ์ สถาปัตย. 2533. การย่อยได้ของแป้งจากข้าวเจ้าบด ปลาข้าวบด และมัน สำปะหลังในแต่ละส่วนของการเดินอาหารโภคินมสาร. วิทยานิพนธ์ปริญญาโท มหาวิทยาลัยเกษตรศาสตร์.

ฉลอง วชิราภากร. 2541. โภชนาศาสตร์ และการให้อาหารสัตว์เปื้องต้าน. ขอนแก่น: ภาควิชา สัตวศาสตร์ คณะเกษตรศาสตร์ มหาวิทยาลัยขอนแก่น.

พจน์ ศรีบุญลือ, โสพิค วงศ์คำ, พัชรี บุญศิริ และ ประสงค์ คุณนาวัฒน์ชัยเดช. 2540. ตำราชีวเคมี. ภาควิชาเคมี. คณะแพทยศาสตร์ มหาวิทยาลัยขอนแก่น.

เมรา วรรณาพัฒน์. 2533. โภชนาศาสตร์สัตว์คึ่งเอื้อง. หจก.ฟันนี่พับลิชชิ่ง,กรุงเทพมหานคร.

เมรา วรรณาพัฒน์, ฉลอง วชิราภากร, กฤตพล สมมาตย์, สุทธิพงศ์ อุริยะพงศ์สරรค์, โอกาส พิมพา และเวชสิทธิ์ โภบุราณ. 2538. การใช้มันสำปะหลังเป็นอาหารสัตว์. ภาควิชา สัตวศาสตร์ คณะเกษตรศาสตร์ มหาวิทยาลัยขอนแก่น.

สำนักงานเศรษฐกิจการเกษตร.2548. กระเทียม. คืนเมื่อ 30 พฤษภาคม 2549 จาก

<http://www.oae.go.th/mis/Forecast/MAR49/type/14gallic49.htm>

สาโรจน์ ค้านเจริญ, สิงหนาท พวงแดง, เยาวมาลัย ค้านเจริญ และ เจริญ จิตาภานท์. 2547. การ พัฒนาใช้สมุนไพรกระเทียมเพื่อเป็นสารต้านอนุมูลทิวที่และวัตถุเติมในอาหารสำหรับ อุตสาหกรรมการเลี้ยงไก่และสุกร. รายงานการวิจัยฉบับสมบูรณ์ประจำปีงบประมาณ 2545.

Amagase, H. Brenda, L. Petesch, H. Masuura, S. Kasuga and Y. Itakura. 2001. Intake of garlic its bioactive component. J. Nutri. 131: 955S-962S.

AOAC. 1990. Official Methods of Analysis. 15th edn. Association of Official Analytical Chemists, Virginia.

- Aroeira, L. J. M., F. C. F. Lopes and M. D. Dayrell. 1996. Rumen degradability of some feeds in the rumen of Holstein-Zebu crossbred cows. Revista Da Sociedade Brasileira De Zootecnia Journal of the Brazilian Society of Animal Science. 25:1178-1186.
- Barry, T. N. and T. R. Manley. 1984. The role of condensed tannins in the nutritional value of *Lotus pedunculatus* of sheep 2. Quantitative digestion of carbohydrates and proteins. Br. J. Nutr. 51:493-498.
- Beauchemin, K. A. and S. M. McGinn. 2006. Methane emissions from beef cattle: Effects of fumaric acid, essential oil and canola oil. J. Anim. Sci. 84 :1489.
- Benchaar, C., H. V. Petit, R. Berthiaume, T. D. Whyte and P. Y. Chouinard. 2006. Effects of addition of essential oils and monensin premix on digestion, ruminal fermentation, milk production, and milk composition in dairy cows. J. Dairy Sci. 89: 4352–4364.
- Bhatta, R., K. Tajima and M. Kurihara. 2006. Influence of temperature and pH on fermentation pattern and methane production in the rumen simulating fermenter (RUSITEC). Asian-Aust. J. Anim. Sci. 19: 376.
- Boniface, A. N., R. M. Murray and J. P. Hogan. 1986. Optimum level of ammonia in the rumen liquor of cattle fed tropical pasture hay. Proc. Aust. Soc. Anim. Prod. 16: 151-154.
- Busquet, M., S. Calsamiglia, A. Ferret and C. Kamel. 2005a. Plant extracts affect *in vitro* rumen microbial fermentation. J. Dairy Sci. 89: 761.
- Busquet M., S. Calsamiglia, A. Ferret, M. D. Carro and C. Kamel. 2005b. Effect of garlic oil and four of its compounds on rumen microbial fermentation. J. Dairy Sci. 88: 4393.
- Busquet M., S. Calsamiglia, A. Ferret and C. Kamel. 2006. Plant extracts affect *In Vitro* rumen microbial fermentation. J. Dairy Sci. 89: 761.
- Cardozo, P. W., S. Calsamiglia, A. Ferret and C. Kamel. 2004. Effects of natural plant extracts on ruminal protein degradation and fermentation profiles in continuous culture. J. Anim. Sci. 82: 3230.

- Cardozo, P. W., S. Calsamiglia, A. Ferret and C. Kamel. 2005. Screening for the effects of natural plant extracts at different pH on in vitro rumen microbial fermentation of a high-concentrate diet for beef cattle. *J. Anim. Sci.* 83:2572.
- Castillejos, L., S. Calsamiglia and A. Ferret. 2006. Effect of essential oil active compounds on rumen microbial fermentation and nutrient flow in *in vitro* systems. *J. Dairy Sci.* 89: 2649–2658.
- Chanthai, S., M. Wanapat and C. Wachirapakorn. 1989. Rumen ammonia-N and volatile fatty acid concentrations in cattle and buffalo given rice straw-based diets. In: Proc. 7th AFAR Int. Workshop. (Ed. R. Dixon), IDPd, Canberra, Australia.
- Chanthai, S., M. Wanapat and C. Wachirapakorn. 1987. Rumen ammonia-N and Volatile fatty acid concentration in cattle and buffalo give rice straw based diet. Paper presented at The International Works shop of the 7th Annual Meeting, Australian-Asian Fibrous Agricultural Residues Research Network, held at Chaingmai, Thailand June 2-6.
- Chanthai, S., M. Wanapat and C. Wachirapakorn. 1988. Rumen ammonia –N and volatile fatty acids Concentrate in cattle and buffaloes given rice straw evaluation. In: Proc. Ruminants Feeding System Utilizing Fibrous Agriculture Residue. Khon Kaen University.
- Chen, X. B., D. J. Kyle and E. R. Orskov. 1993. Measurement of allantoin in urin and plasma by high-performance liquid chromatography with pre-column derivatization. *J. Chromatography.* 617: 241-247.
- Chujula, P., M. Wanapat, C. Wachirapakron, S. Uriyapongson and P. Rowlinson. 2002. Ruminal degradability of tropical feeds and their potential use in ruminant diets. *Asian-Aust. J. Anim. Sci.* 15:114-119.
- Chujula, P., M. Wanapat, C. Wachirapakorn, S. Uriyapongson and P. Rowlinson. 2003. Ruminal degradability of tropical feeds and their potential use in ruminant diets. *Asian-Aust. J. Anim. Sci.* 16:211-216.

- Chesworth, J.M., T. Stuchbury and J.R. Scaife. 1998. **An introduction to agricultural biochemistry.** Chapman & Hall, New York.
- Delgado, C., M. Rosegrant, H. Steinfeld, S. Ehui and C. Courbois. 1999. **Livestock to 2020:The next food revolution.** IFPRI/FAO/ILRI. Food Agriculture and the Environment. Discussion paper 28.
- Demeyer, D. I. 1981. **Rumen microbes and digestion of plant cell walls.** Agric. Environ. 6: 295-337.
- Demeyer, D. I., C. Van Nevel, E. Teller and J. M. Godeau. 1986. **Manipulation of rumen digestion in relation to the level of production in ruminants.** Arch. Anim. Nutr. 36: 132.
- Devendra, C. 1992 **Non-Conventional Feed Resources in Asia and the Pacific (4th Ed.)** O/RAPA, Bangkok. Doyle, P.T., Devendra, C. and Pearce, G.R. 1986. Rice straw as a feed for ruminants. International Development Program of Australian Universities and Colleges (IDP), Canberra, Australia, 117 pp.
- Erdman, R. A., G. H. Proctor and J. H. Vandersall. 1986. **Effect of rumen ammonia concentration on in situ rate and extent of digestion of feedstuffs.** J. Dairy Sci. 69: 2312-2320.
- Gibbs, M. and D. E. Johnson. 1994. **Methane emissions from the digestive processes of livestock.** In: Int. Anthropogenic Methane Emissions Estimates for 1990. U.S. EPA 230-R-93-010. Jan. 1994.
- Gottschalk, G. 1986. **Bacterial Metabolism.** 2nd ed. Springerverlage, New York, NY.
- Granum, G.M., M. Wanapat, P. Pakdee and C. Wachirapakorn. 2002. **The effect of cassava hay supplementation on weight change, dry matter intake, digestibility and intestinal parasites in swamp buffaloes (*Bubalus bubalis*) and cattle (*Bos indicus*).** In Proc. Agriculture Conference, Narasuan University, Pitsanuloke, Thailand, July 26-30.
- Granum, G., M. Wanapat, P. Pakdee, C. Wachirapakorn and W. Tobura. 2007. **A Comparative Study on the Effect of Cassava Hay Supplementation in Swamp**

- Buffaloes (*Bubalus bubalis*) and Cattle (*Bos indicus*). Asian-Aust. J. Anim. Sci.**
2007: (In-press).
- Hart, F. and M. Wanapat. 1992. **Physiology of urea-treated rice straw in swamp buffalo.** Asian-Aust. J. Anim. Sci. 5:617-622.
- Hino, T. and J.B. Russell. 1987. **Relative contribution of ruminal bacteria and protozoa to the degradation of protein in *vitro*.** J. Anim. Sci. 64 : 261.
- Helmer, L. G., E. E. Bartley and C. W. Deyoe. 1970. **Feed processing. VI. Comparison of starea, urea, and soybean meal as protein source for lactating dairy cow.** J. Dairy Sci. 53: 883.
- Hong, N. T. T., M. Wanapat, C. Wachirapakorn, P. Pakdee and P. Rowlinson. 2003. **Effects of timing of initial and subsequent cutting on yields and chemical compositions of cassava hay and its supplementation on lactation dairy cows.** Asian-Aust. J.Anim. Sci. 16: 1763-1769.
- Hungate, R. E. 1966. **The rumen and its microbes.** Academic press, New York, USA.
- Johnson, R. M. and W. D. Raymond. 1965. **The chemical composition of some tropical food plants.** Anim. Feed Sci. Technol. 3:345.
- Kahn, L. P. and A. Diaz-Hernandez. 2000. **Tannins with anthelmintic properties.** In:Proc. International Workshop on Tannins in Livestock and Human Nutrition. (Ed. J. D. Brooker), ACIAR Proceedings No. 92. 171 pp.
- Kanjanapruthipong and R. A. Leng. 1998. **The effects of dietary urea on microbial populations in the rumen of sheep.** Asian-Aust. J. Anim. Sci. 11: 661-672.
- Khampa, S. and M. Wanapat. 2004. **Effect of levels of supplementation of concentrate containing high levels of cassava chip on rumen ecology, microbial nitrogen supply and digestibility of nutrients in cattle.** KKU. Research Journal (Graduate Studies). 3:1-13.
- Khampa, S., M. Wanapat, C. Wachirapakorn, N. Nontaso and M. Wattiaux. 2005. **Effect of levels of malate supplementation on ruminal fermentation efficiency in concentrate containing high levels of cassava chip in dairy steers.** In: Proceedings

of the graduate school . Congress VII. Held at Graduate school Khon Kaen University, 21 January 2005, Pp9-10.

Khampa, S., M. Wanapat, C. Wachirapakorn, N. Nontaso and M. Wattiaux. 2006. Effect of levels of sodium dl-malate supplementation on ruminal fermentation efficiency in concentrates containing high levels of cassava chip in dairy steers. Asian-Australasian Journal of Animal Sciences Vol. 19 No. 3: 368-375.

Khampa, S., M. Wanapat, C. Wachirapakorn, N. Nontaso and M. Wattiaux. 2006. Effects of urea level and sodium dl-malate in concentrate containing high cassava chip on ruminal fermentation efficiency, microbial protein synthesis in lactating dairy cows raised under tropical condition. Asian-Australasian Journal of Animal Sciences Vol. 19 No. 6: 837-844.

Khampa, S., M. Wanapat, C. Wachirapakorn, N. Nontaso and M. Wattiaux. 2006. Effects of energy sources and level of supplementation on ruminal fermentation and microbial protein synthesis in dairy steers. Songklanakarin Journal of Science and Technology Vol. 28 (2): Mar-Apr: 265-276.

Koakhunthod, S., M. Wanapat, C. Wachirapakorn. N. Nontaso, P. Rowlinson and N. Sornsungnern. 2001. Effect of cassava hay and high-quality feed block supplementation on milk production in lactating dairy cows. International Workshop Current Research and Development on Use of Cassava as Animal Feed. Khon Kaen University, Thailand. July 23 – 24, 2001.

Krause, D. O., B. P. Dalrymple, W. J. M. Smith, R. I. Mackie and C. S. McSweeney. 1999. 16S rRNA sequencing *Ruminococcus albus* and *Ruminococcus flavefaciens*:design of a signature probe and its application in adult sheep. Microbiology. 145: 1797-1807.

Krause, D. O., W. J. M. Smith, F. M. E. Ryan, R. I. Mackie and C. S. McSweeney. 2000. Use of 16S-rRNA based techniques to investigate the ecological succession of microbial populations in the immature lamb rumen: tracking of a specific strain of inoculated *Ruminococcus* and interactions with other microbial populations in vivo. Microb. Ecol. 38: 365-376.

- National Research Council. 1976. Nutrient requirement of beef cattle. National Academy of Science. Washington D.C., U.S.A.
- Netpana, N, M. Wanapat, O. Poungchompu and W. Tolouran. 2001. Effect of condensed tannins cassava hay on fecal parasitic egg counts in swamp buffaloes and cattle. International Workshop Current Research and Development on Use of Cassava as Animal Feed. Khon Kaen University, Thailand. July 23 – 24, 2001.
- Nisbet, D. J. and S. A. Martin. 1994. Factors affecting L-lactate utilization by *Selenemonas ruminantium*. J. Anim. Sci. 72:1355-1361.
- Nocek, J. E. and S. Tamminga. 1991. Site of digestion of starch in the gastrointestinal-tract of dairy cows and its effect on milk-yield and composition. J. Dairy Sci. 74: 3598-3629.
- Nguyen V. T. and T. R. Preston. 1999. Rumen environment and feed degradability in swamp buffaloes fed different supplements. Livestock Res for Rural Dev. 11: <http://www.Cipav.Org.co/Irrd/Irrd11/3/thu113.htm>.
- Odenyo, A. A., R. I. Mackie, D. A. Stahl and B. A. White. 1994a. The use of 16S rRNA-targeted oligonucleotide probes to study competition between ruminal fibrolytic bacteria: development of probes for *Ruminococcus* species and evidence for bacteriocin production. Appl. Environ. Microbiol. 60: 3688-3696.
- Odenyo, A. A., R. I. Mackie, D. A. Stahl and B. A. White. 1994b. The use of 16S rRNA-targeted oligonucleotide probes to study competition between ruminal fibrolytic bacteria: pure-culture studies with cellulose and alkaline peroxide-treated wheat straw. Appl. Environ. Microbiol. 60: 3697-3703.
- Orskov, E. R. and H. J. Flint. 1989. Manipulation of rumen microbes or feed resources as methods of improving feed utilization. In: Proc. The Biotechnology in Livestock in Developing Countries (Ed., A. G. Hunter), Rkitchie of Edinburgh Ltd., United Kingdom.

- Wanapat, M. 1990 **Nutritional Aspects of Ruminant Production in Southeast Asia With Special Reference to Thailand.** Funny Press, Ltd., Bangkok, Thailand. Wanapat, M.1999. Feeding of Ruminants in the Tropics based on Local Feed Resources. Khon Kaen Publishing Company Ltd., Khon Kaen, Thailand. 236 pp.
- Wanapat, M. 2000. **Rumen manipulation to increase the efficient use of local feed resources and productivity of ruminants in the tropics.** Asian-Aust. J. Anim. Sci. 13: 59-67.
- Wanapat, M. 2003. **Manipulation of cassava cultivation and utilization to improve protein to energy biomass for livestock feeding in the Tropics.** Asian-Aust. J. Anim.Sci. 16: 463-472.
- Wanapat, M. and S. Khampa. 2006. **Effect of cassava hay in high-quality feed block as anthelmintics in steers grazing on Ruzi grass.** Asian-Aust. J. Anim. Sci.19: 695-699.
- Wanapat, M. and O. Pimpa. 1999. **Effect of ruminal NH₃-N levels on ruminal fermentation purine derivatives, digestibility and rice straw intake in swamp buffaloes.** Asian-Aust. J. Anim. Sci. 12: 904-907.
- Wanapat, M., A. Peilum and O. Pimpa. 1999. **Strategic supplementatin with a high-quality feed block on roughage in take, milk yield and composition and economic return in lactating dairy cows.** Asian-Aust. J. Anim. Sci. 12: 901-903.
- Wanapat, M., A. Petlum and O. Pimpa. 2000a. **Supplementation of cassava hay to replace concentrate use in lactating Holstein-Friesian crossbreds.** Asian-Aust. J. Anim. Sci. 13: 600-604.
- Wanapat, M., C. Yuangklang, S. Wora-anu and C. Wachirapakorn. 1999a. **Diurnal variations of rumen fermentation in cattle and swamp buffaloes fed, on rice straw.** IRERP Project Report Faculty of Agriculture, Khon Kaen University, Khon Kaen, Thailand.

- Wanapat, M., K.Sommart, O.Pimpa and S. Boonsorn. 1996. **Supplementation of high quality feed pellet to increase milk productivity at small-holder farmer's level.** In: Proc. The 8th AAAP Animal Sciecne Congrees, Japanese Society of Zootechnical Sci., Tokyo, Vol 2:158.
- Wanapat, M., O. Pimpa, A. Petlum and C. Wachirapakorn. 2000a. **Participation scheme of smallholder dairy farmers in the northeast Thailand on improving feeding systems.** Asian-Aust. J. Anim. Sci. 13: 830-836.
- Wanapat, M., O. Pimpa, A. Petlum and U. Boontao. 1997. **Cassava hay: A new strategic feed for ruminants during the dry season.** Livestock Research for Rural Development 92): LRRD Home Page.
- Wanapat, M., O. Pimpa, K. Sommart, S. Uriyapongson, W. Toburan, D. Parker and P. Rowlinson. 1995. **Effects of energy sources on rumen fermentation, degradability and rice straw intake in swamp buffaloes.** In: Proc. The International Workshop on Draft Animal Power, Khon Kaen University, Khon Kaen, Feb. 13-17, 1995.
- Wanapat, M., O. Pimpa. W. Sripuek, T. Puramongkol, A. Petlum, U. Boontao, C. Wachirapakorn and K. Sommart. 1998. **Cassava hay, a potential feed for ruminants.** In: Proc. Internatinal Conference on Food, Lands and Livelihoods : Setting Research Agendas for Animal Science, the British Society of Animal Science, Jan 27-30, 1998, organiaed at the Agricultural Research Institute, Nairobi, Kenya.
- Wanapat, M., S. Khampa, A. Pongchompu, S. Wanapat and Y. Sai-ngarm. 2004. **Effect of cassava hay in high-quality feed block as anthelmintics in steers grazing on ruzi grass.** In: New dimentions and challenges for sustainable livestock farming. Proceedings of the 11th Animal Science Congress, The Asian-Australasian Association of Animal Production Societies, 5-9th Septenber 2004, Kuala Lumpur, Malaysia.

- Wanapat, M., S. Uriyapongson, S. Chanthalai, S. Wanapat, C. Wachirapakorn and K. Thammasng. 1989. **The utilization of dried cassava leaves and urea-treated rice straw for draft swamp buffaloes during the dry season at village level.** In: Proc. The 27th Technical Annual Meeting, Kasetsart University, Bangkok, Thailand, pp. 95-107.
- Wanapat, M., T. Puramongkon and W. Siphuak. 2000b. **Feeding of cassava hay for lactating dairy cows during the dry season.** Asian-Aust. J. Anim. Sci. 13:478.
- Wanapat, M., T. Puramongkon and W. Siphuak. 2000c. **Feeding of cassava hay for lactating dairy cows.** Asian-Aust. J. Anim. Sci. 13: 478-482
- Weimer, P. J. 1998. **Manipulating ruminal fermentation: A microbial ecological perspective.** J. Anim. Sci. 76: 3114-3122.
- Zajac, A. M. 1994. **Fecal examination in the diagnosis of parasitism.** In Veterinary clinical parasitology. Eds. M. W. Sloss, R. L. Kemp and A. m. Zajac. Iowa State College Press, Ames, Iowa. Pp. 3-61.
- Zinn, R. A. and E. J. DePeters. 1991. **Comparative feeding value of tapioca pellets for feedlot cattle.** J. Anim. Sci. 69: 4726-4733.

มหาวิทยาลัยราชภัฏมหาสารคาม
RAJABHAT MAHASARAKHAM UNIVERSITY