



มหาวิทยาลัยราชภัฏมหาสารคาม  
RAJABHAT MAHASARAKHAM UNIVERSITY

## บรรณานุกรม

- เกรียงไกร ภูสอดสี และศิริพร นิลโภตร. (2549). การหาปริมาณนำ้ตาลในรากกระเพงโน้ม.  
โครงการวิจัยระดับปริญญาตรี คณะวิทยาศาสตร์และเทคโนโลยี มหาวิทยาลัยราชภัฏ  
มหาสารคาม.
- ศิริพร ศิริอมรพรรณ. (2547). ข้าวเกรียบวัวย่าง: ข้าวปีง. รายงานงานวิจัยชุด โครงการข้าว:  
การวิจัยและการพัฒนาผลิตภัณฑ์ มหาวิทยาลัยมหาสารคาม. มหาสารคาม. หน้า 1-86.
- อาทิตา ชัยเสนห์ทิว และคณิตา พรมมาศุต. (2550). การศึกษาผลของรากกระเพงโน้มที่มีต่อการ  
เข้มข้นฟูของเก็กเนย. เทคนิคการวิจัย. คณะทรัพยากรธรรมชาติและอุตสาหกรรมเกษตร  
มหาวิทยาลัยเกษตรศาสตร์ วิทยาเขตเนินพระเกี้ยรติ จังหวัดสกลนคร.
- เอนอร ทองเป็นไห่ และบุญส่ง คงคาทิพย์. (2541). การสกัด การแยก และการทดสอบสารออก  
ฤทธิ์ขึ้นชี้赫ซึ่อ Herpes. โครงการวิทยาศาสตร์ มัธยมศึกษาตอนปลาย. โรงเรียนสามเสน  
วิทยาลัย กรุงเทพฯ.
- Ames, B.M., Shinoda, M.K. and Hagen, T.M. (1993). Oxidants, antioxidants and the degenerative  
disease of aging. *Proceedings of the National Academy of Sciences*. 90: 7915-7922.
- Amin, I., Zamaliah, M.M. and Chin, W.F. (2004). Total antioxidant activity and phenolic content  
in selected vegetables. *Food Chemistry*. 87: 581-586.
- Arnous, A., Makris, D.P. and Kefalas, P. (2000). Correlation of pigment and flavanol content with  
antioxidant properties in selected aged regional wines from Greece. *Journal of Food  
Component and Analysis*. 15: 655-665.
- Bahorun, T., Luximon-Ramma1, A. , Crozier, A. and Aruoma, O. (2004). Total phenol, flavonoid,  
proanthocyanin and vitamin C levels and antioxidant activities of Mauritian vegetables.  
*Journal of the Science of Food and Agriculture*. 84: 1553-1561.
- Benzie, I. F. and Strain, J.J. (1996). The ferric reducing ability of plasma (FRAP) as a measure  
of antioxidant power: The FRAP Assay. *Analytical Biochemistry*. 239: 70-76.
- Beckman, K.B. and Ames, B.N. (1998). The free radical theory of aging matures. *Physiology  
Review*. 78: 547-581.
- Brand-William, W., Cuvelier, M.E. and Berset, C. (1995). Use of free radical method to evaluate  
antioxidant activity. *LWT: Food Chemistry and Technology*, 28: 25-30.
- Cao, G., Alessio, H.M. and Culter, R. G. (1993). Oxygen radical absorbance capacity assay for  
antioxidants. *Free Radical Biological Medicine*. 14: 303-311.

- Christen, W.G., Liu, S., Schaumberg, D.A. and Buring, J.E. (2005). Fruit and vegetable intake and the risk of cataract in women. *The American Journal of Clinical Nutrition.* 81: 1417-1422.
- Dasgupta, N. and De, B. (2007). Antioxidant activity of some leafy vegetables of India: A comparative study. *Food Chemistry.* 101: 471-474.
- Fang, Y., Yang, S. and Wu, G. (2002). Free radicals, antioxidants and nutrition. *Journal of Nutrition,* 18: 872-879.
- Fang, Z., Zhang, Y., Lu, Y., Ma, G., Chen, J., Liu, D. And Ye, X. (2009). Phenolic compound and antioxidant capacities of bayberry juices. *Food Chemistry.* 113(4): 884-888.
- Finkel, T. and Holbrook, N.J. (2000). Oxidant stress and the biology of aging. *Nature.* 408: 239-247.
- Frenkel, K. (1992). Carcinogen-mediated oxidants formation and oxidative DNA damage. *Pharmacology and Therapeutics.* 53: 127-166.
- Genkinger, M.J., Platz, E.A., Hoffman, S.C., Comstock, G.W. and Helzlsouer, K.J. (2004). Fruit, vegetable, and antioxidant intake and all-cause, cancer, and cardiovascular disease mortality in a community-dwelling population in Washington county, Maryland. *American Journal of Epidemiology.* 160: 1223-1233.
- Gil, M.I., Francisco, A.T.M., Betty, H.P. and Kadar, A.A. (2002). Antioxidant capacities, phenolic compounds, carotenoids and vitamin C contents of nectarine, peach and plum cultivars from California. *Journal of Agricultural and Food Chemistry.* 50: 4976- 4982.
- Ghani, A. (1998). Medicinal plants of Bangladesh-chemical constituents and uses. 2<sup>nd</sup> ed. *Asiatic Society of Bangladesh.* Dhaka, Bangladesh.
- Ghani, A. (2003). Medicinal plants of Bangladesh with chemical constituents and uses. *Asiatic Society of Bangladesh.* 323: 3-17.
- Gutteridge, J.M.C. and Halliwell, B. (1994). *Antioxidants in nutrition, health and disease.* Oxford University Press, Oxford. pp. 143.
- Halliwell, B. (1996). Antioxidants in Human Health and Disease. *Annual Review Nutrition.* 16: 33-50.
- Halliwell, B. and Gutteridge, J.M.C. (1994). *Free radicals in biology and medicine.* 2<sup>nd</sup> ed. Oxford Clarendon. Oxford University. 416-494 pp.
- Harborne, J. B. (1980). "Plant phenolics". In Bell; Charlwood, B. V. *Encyclopedia of Plant Physiology, volume 8 Secondary Plant Products.* Berlin Heidelberg New York: Springer-Verlag. 329–395 pp.

- Imeh, U. and Khokhar, S. (2002). Distribution of conjugates and free phenols in fruits: antioxidant activity and cultivar variations. *Journal of Agricultural and Food Chemistry*. 50: 6301-6306.
- Ishihara, K. and Hirano, T. (2002). IL-6 in autoimmune disease and chronic inflammatory proliferative disease. *Cytokine and Growth Factor Reviews*. 13: 357-368.
- Jung, C.H., Seog, H.M., Choi, I.W., Park, M.W. and Cho, H.Y. (2006). Antioxidant properties of various solvent extracts from wild ginseng leaves. *LWT: Food Chemistry and Technology*. 39: 266-274.
- Kahkonen, M.P., Hopia, A.L. and Heinonen, M. (2001). Berry phenolics and their antioxidant activity. *Journal of Agricultural and Food Chemistry*. 49: 4076-4082.
- Knight, J.A. (1998). Free radicals: their history and current status in aging and disease. *Annals of Clinical and Laboratory Science*. 28:331–346.
- Kalt, W.; Forney C.F.; Martin, A. and Prior, R.L. (1999). Phenolics capacity, vitamin C, phenolics and anthocyanins after storage of small fruits. *Journal of Agricultural and Food Chemistry*. 47: 4638-4644.
- Kaur, C. and Kapoor, H.C. (2002). Antioxidant activity and total phenolic content of some Asian vegetables. *International Journal of Food Science and Technology*. 37: 153-161.
- Kim, D.O., Jeong, S. W. and Lee, C. Y. (2003). Antioxidant capacity of phenolic phytochemicals from various cultivars of plums. *Food Chemistry*. 81: 321-326.
- Knight, J.A. (1995). The process and theories of aging. *Annual Clinical Laboratory Science*. 25: 1-12.
- Kumar, V., Pankajkumar, Y. S., Singh, U. P., Hans, R. B. and Kamaruz, Z. (2009). Pharmacognostical and phytochemical study on the leaves of *Paederia foetida* linn. *International Journal of PharmTech Research*. 1(3): 918-920.
- Lander, H.M. (1997). An essential role for free radicals and derived species in signal transduction. *The Journal of the Federation of American Societies for Experimental Biology*. 11: 118-124.
- Lionis, C., Faresjo, A., Skoula, M., Kapsoke-falou, M. and Faresjo, T. (1998). Antioxidant effects of herbs in Crete. *The Lancet*. 352: 1987-1988.
- Luthria, D. and Pastor-Corrales, M. (2006). Phenolic acids content of fifteen dry edible bean (*Phaseolus vulgaris* L.) varieties. *Journal of Food Composition and Analysis*. 19: 205-211.

- Miller, N.J. and Rice-Evans, C.A. (1997). The relative contributions of ascorbic acid and phenolic antioxidants to the total antioxidant activity of orange and apple fruit juices and blackcurrant drink. *Food Chemistry*. 60: 331-337.
- Nackz, M. and Shahidi, F. (2004). Extraction and analysis of phenolics in food. *Journal of Food Chromatography A*. 1054: 95-111.
- Ohr, L. M. (2004). Nutraceuticals and functional foods. *Food Technology*. 58:71–75.
- Osman, H., Rahim, A. A., Isa, N. M. and Bakhir, N. M. (2009). Antioxidant activity and phenolic content of *Paederia foetida* and *Syzygium aqueum*. *Molecules*. 14: 970-978.
- Pulido, R., Bravo, L. and Saura-Calixto, F. (2000). Antioxidant activity of dietary polyphenols as determined by a modified ferric reducing antioxidant power assay. *Journal of Agricultural and Food Chemistry*. 48: 3396-3402.
- Re, R., Pellegrin, N., Proteggente, A., Pannala, A., Yang, M. And Rice-Evans, C. (1999). Antioxidant activity applying an improved ABTS radical cation decolorization assay. *Free Radical Biology Medicine*. 26(9-10): 1231- 1237.
- Rice-Evans, C.A., Miller, N.J. and Paganga, G. (1997). Antioxidant properties of phenolic compounds. *Trends in Plant Science*. 2:152-159.
- Robbins, R. J. (2003). Phenolic acids in foods: An overview of analytical methodology. *Journal of Agricultural and Food Chemistry*. 51: 2866-2887.
- Senthil, K., Aranganathan, S. and Nalini, N. (2004). Evidence of oxidative stress in the circulation of ovarian cancer patients. *Clinica Chimica Acta*. 339: 27-32.
- Shaghaghi, M., Manzoori, J.L. and Jouyban, A. (2008). Determination of total phenols in tea infusions, tomato and apple juice by terbium sensitized fluorescence method as an alternative approach to the Folin-Ciocalteu spectrophotometric method. *Food Chemistry*. 108: 695–701.
- Shahidi, F. and Nackz, M. (2004). *Phenolics in food and nutraceuticals*. CRC Press. Washigton DC. EEUU. pp 483-490.
- Sharker, S. (2009). Antinociceptive activity of crude ethanolic extract of *Paederia foetida*, *Butea monosperma*, *Bombax ceiba*. *Pharmacology*. 2: 862-866.
- Shukla, Y.N., Lloyd, H.A., Morton, J.F. and Kapadia, G.J. (1976). Iridoid glycosides and other constituent of *Paederia foetida*. *Phytochemistry*. 15: 1989-1990.

- Sun, J., Chu, Y.F., Wu, X., Liu, R.H. (2002). Antioxidant and antiproliferative activities of common fruits. *Journal of Agricultural and Food Chemistry.* 50: 7449-7454.
- Taruscio, T.G., Barney, D.L. and Exon, J. (2004). Content and profile of flavanoid and phenolic acid compounds in conjunction with the antioxidant capacity for a variety of northwest vaccinium berries. *Journal of Agricultural and Food Chemistry.* 52: 3169-3176.
- Trombino, S., Serini, S., Di Nicuolo, F., Celleno, L., Ando, S., Picci, N., Calviello, G and Palozza, P. (2004). Antioxidant effect of ferulic acid in isolated membranes and intact cells: Synergistic interactions with alpha-tocopherol, beta-carotene, and ascorbic acid. *Journal of Agricultural and Food Chemistry.* 52: 2411-2420.
- Wang, S. and Lin, H.S. (2000). Antioxidant activity in fruits and leaves of blackberry, raspberry and strawberry varies with cultivar and developmental stage. *Journal of Agricultural and Food Chemistry.* : .
- Wang, H. and Halliwell, K. (2001). Determination of flavonols in green and black tea leaves and green tea infusions by high-performance liquid chromatography. *Food Research International.* 34: 223-227.
- Wannamethee, S.G., Lowe, G.D., Rumley, A., Bruckdorfer, K.P. and Whin, P.H. (2006). Associations of vitamin C status, fruit and vegetable intakes and markers of inflammation and hemostasis. *American Journal of Clinical Nutrition,* 83: 567-574.
- Wong, S.P. Leong, L.P. and William Koh, J.H. (2006) Antioxidant activities of aqueous extracts of selected plants. *Food Chemistry.* 99: 775-783.
- Velioglu, Y.S., Mazza, G.; Gao, L. and Oomah, B.D. 1998. Antioxidant activity and total phenolics in selected fruits and vegetables, and grain products. *Journal of Agricultural and Food Chemistry.* 46: 4113-4117.
- Yu, J., Ahmedna, M. and Goktepe, I. (2005). Effects of processing methods and extraction solvents on concentration and antioxidant activity of peanut skin phenolics. *Food Chemistry.* 90: 199-206.